

100 YEARS





LAWNMOWER & OUTDOOR POWER EQUIPMENT RANGE

2016/2017



IT'S NOT JUST A LAWNMOWER, IT'S A MASPORT!

Every lawn is different which is why Masport has developed a comprehensive range of lawn and garden equipment. Masport mowers have been designed to meet the needs of the heaviest lawn conditions and the longest mowing times, therefore they are built to last. The models in the Masport range are feature rich, innovative and truly high performance mowers. Regardless of whether you see taking care of your lawn as a pleasure or a chore, Masport has the equipment to help you realise your vision, while suiting your lifestyle and budget.

Proudly designed and engineered in New Zealand and sold all around the world.

INDUSTRY BEST CONSUMER WARRANTIES











With Masport it will last, we guarantee it. MASPORT HAS YOU COVERED.

Masport is committed to quality and performance. We back our products. On offer is a full comprehensive warranty, so you know exactly what is covered.

Depending on whether your mower is a steel or aluminium chassis and the type of engine your mower has, there's a warranty cover tailored specifically for your new purchase.

We offer you an impressive 6 years warranty on all aluminium chassis. If you prefer a steel chassis you'll enjoy 4 years peace of mind. Both aluminium and steel options come with either a 2 year warranty on ALL parts and engine, or a 4 year warranty with an I/C engine. Plus a LIFETIME HDPE plastic catcher warranty.



OUR 4⁺ YEAR LAWNMOWER WARRANTY

The Masport lawnmower range fitted with IC engines combines the benefits of top quality Masport lawnmowers, with Briggs & Stratton Industrial Commercial grade engines. Masport lawnmowers with this engine carry a minimum 4 year warranty - (Conditions apply, see www.masport.co.nz for more information).

(Conditions apply, see www.masport.co.nz for more information).

Masport unique features powered by a commercial grade engine... YOU CAN'T GO WRONG!



THE ALUMINIUM ADVANTAGE

Masport has been producing lawnmowers with aluminium chassis for over 50 years. You can probably still find one of these earlier mowers today tucked away in the back of a garage, collecting dust with a worn out engine, but a chassis that is still intact.

Masport is so confident about the longevity and rust free advantages of its aluminium chassis, that we offer a comprehensive 6 year warranty.

BRIGGS & STRATTON STARTING PROMISE



Briggs & Stratton 500, 550, 650, 675, 700, 725, 750, 850 series engines include a Starting Promise as listed. If they don't start in line with the starting promise, return it to an authorised Briggs & Stratton engine service agent, and they will fix it for free**.



These engines will always start with a maximum of 5 primes and 4 pulls or it is fixed for free**.



With ReadyStart™, there's no need to manually prime or choke the engine on your mower, even from a cold start. Now even the least experienced lawn mower user can confidently start their mower. This engine should start on one or two pulls or it is fixed for free**.

** conditions apply, see www.masport.co.nz for more information.



EASIEST STARTING EVER

Briggs & Stratton's InStart™ lithium-ion electric start engines, take the guessing game out of starting your lawnmower. No more priming, choking or pulling the rope. The first engine to combine the power of petrol and the starting reliability of lithium-ion battery technology. By combining the easiest starting engine with the easiest to maintain engine, Briggs & Stratton is introducing their easiest engine. Ever!





'5 TICK' STANDARDSMARK™



Masport President® lawnmowers carry the '5 Tick' StandardsMark™, a global certification mark providing assurance that the manufacturing facility and product produced carrying this mark have undergone a rigorous independent audit and testing programme, facilitating the reliability, quality assurance and safety of these products. The 5 Tick product certification applies specifically to petrol powered rotary lawnmowers within this document.

2

MASPORT FEATURES

The Masport Silver series offers a range of mowers to suit your needs, lifestyle and budget and will help you achieve that perfect lawn. The models in this range are feature rich, innovative and truly high performance mowers.

HANDLE SYSTEM

Handle Lift System

Foot pedal release for quick easy handle re-positioning. Makes catcher access and storage very easy.

(See over the page for more detail).





MOWER STARTING

Zone Start

The conveniently positioned starter cord eliminates the need to bend all the way down to pull-start, reducing the risk of back strain.



WHEELS





Adjustable Dual Bearing Wheels


Masport's ball bearing wheels make the mower easy to push and, with a threaded axle and nut, the wheels can easily be adjusted if they become loose after significant use.





MASPORT BLADE SYSTEMS





For superior cutting, mulching and catching performance, Masport mowers are fitted with unique blade cutting systems. The Masport Quickcut® blade is a top quality, specially designed blade system for cutting and mulching.



Masport 2 & 4 Blade Disc System

This blade system runs 2 or 4 swing back blades suitable for catching and mulching applications and is fitted on selected Masport Silver catching and mulching models.

> All these blade systems have a swingback feature, designed to protect the crankshaft from damage should the mower hit a solid object.



Masport Quadcut® 4 Blade Disc Cutting System

Masport mowers such as the MSV® are fitted with a specially designed four blade disc system, great for catching due to increased airflow.





Masport Quadcut® with Chipper Blade

The additional chipper blade allows your mower to chip branches up to $35 \text{mm} / 1\frac{3}{8}$ " into garden mulch, when fed through the mower via the Chipperchute.



Reinforced lower 'U' handle for added strength.

PVC Grip

operation.

For added comfort and


hard-wearing during

Two Piece Stub handle with no middle bar for easy catcher access.

Lower Handles

One Piece





CUTTING HEIGHTS

Masport Push lawnmowers have a range of cut heights, from 10mm-70mm $(\frac{3}{8}" - 2\frac{3}{4}")$ and come with single point one touch height adjusters.




ALUMINIUM

CUTTING CHASSIS

High-arch design - allows airflow created from the blades to suck the grass upwards for multiple cut cycles before flowing into the catcher, creating enhanced mulching and catching performance.

16.5"	Chassis
10.0	Onassis

• Smaller cutting chassis for smaller lawns or tricky grass areas



• High-arch design

High-arch design

18" Utility Chassis

• Specially designed Side Discharge chassis • Strong and reliable for demanding conditions

18" Chassis

• Midsize cutting width, suitable for most conditions Mowzone

19" Chassis

• Wider cutting width - time saving advantages, very popular size for most conditions Dual Mowzone[®]

21" Utility Chassis

Wider cut

• Specially designed side-discharge chassis • Strong and reliable for demanding conditions

21" Chassis

• High-arch design • Extra cutting width suitable for large areas or getting the job done faster Dual Mowzone[®]

STEEL



THE MASPORT ADVANTAGE



2'N1

Combination 2'N1 - **catch** and **mulch** options on these mowers

3'N1

These mowers have a combination of catch, mulch & **side or rear discharge** options.

Genius 4'N1 These mowers have a combination of catch, mulch, side discharge & **chip** options.

WASHPORT

Hose fitting point on the chassis to clean the chassis while the mower engine is running, increasing the life of the chassis and improving cutting efficiency.



SELF PROPELLED

Let the mower do the work. These models are fitted with a self drive system. All you need to do is squeeze the self propelled bail to the handle to propel the mower forward.

Reduce pushing effort and make mowing your lawn quick and easy with Self Propelled mowers!



REAR DISCHARGE

With the rear discharge chute, the mower can be used effectively without a catcher. It is designed to work with Masport's effective high-arch chassis. The flap distributes the grass out of the rear of the machine and spreads it more evenly.





MASPORT DUAL MOWZONE®

With the blade coverage extending beyond the wheel width on both sides, the mower can cut closer to walls, kerbs and fences, giving a cleaner finish to your lawn.







HANDLE LIFT SYSTEM

The Handle Lift Sytem allows you to quickly and easily access the catcher (or Smartchute® system). Simply step on the foot pedal and lift the handle, it's that easy! Once the handle is returned to the operating position, it will lock in firmly providing responsive handling.

It is very effective as a space saver when storing the mower.



CHIPPERCHUTE

The Masport Chipperchute is an innovative development in lawn mowing that means your mower can do more than cut grass. The Chipperchute actually shreds branches up to 35mm (1 \frac{3}{8}") in diameter using the additional chipper blade and turns them into useful mulch. As branches are chipped, the chips are fed back into the catcher so you can put the mulch into your compost or garden.



SMARTCHUTE®

Mow without the catcher and avoid the messy grass clumps. The Masport patented Smartchute® will side discharge a clean spread of clippings as you mow to leave your lawn looking wonderful. Just engage the unique feature and begin mowing.





MULCHING

When you mulch there is less weight to push and no stopping to empty the catcher. The high-arch chassis design and the special blade means it also naturally recycles your grass by re-cutting the clippings and feeding them back into your lawn. You will save on watering, lawn fertilisers, as well as time.



6



SILVER RANGE



100ST S16.5

Steel Chassis Cut • Catch

- Powered by Briggs & Stratton Front 175mm (7") & Rear 125cc OHV Series 450E Primer engine
- Robust steel chassis
- Masport 2 blade disc cutting
- 420mm (16.5") cutting width
- 175mm (7") wheels
- HDPE plastic catcher Plain rear flap
- Comfortable upturned upper handle
- Two piece lower handle for



- easy catcher access Camlocks for quick release handle fold down
- Zone start for comfortable starting position



400AL S18

Alloy Chassis Cut • Catch



- 460mm (18") heavy duty aluminium non-rust chassis
- Masport Quickcut® swingback blade system
- bearing wheels
- HDPE plastic catcher Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for



- added strengthCamlocks for quick release handle fold down
- Zone Start for comfortable starting position





Steel Chassis Cut • Catch • Mulch

• Powered by Briggs & Stratton • Front 175mm (7") & rear 150cc OHV Series 625EX ReadyStart[™] engine


625ST S19 2'N1

- 485mm (19") heavy duty steel chassis
- Masport Quickcut® swingback blade system
- 200mm (8") adjustable mono bearing wheels
- HDPE plastic catcher Handle Lift System for easy
- catcher access Reinforced lower handle for



- added strength Camlocks for quick release handle fold down
- Dual Mowzone® for edge to edae cuttina





Alloy Chassis Cut • Catch • Mulch

- Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart[™] engine
- 460mm (18") heavy duty aluminium non-rust chassis
- Masport Quickcut® swingback blade system
- 200mm (8") adjustable dual bearing wheels HDPE plastic catcher
- Comfortable upturned upper
- handle with PVC grip
- Reinforced lower handle for added strength



- Zone Start for comfortable
- starting position Steel rear flap















100 YEARS IN THE MAKING

Since 1910 Masport has been making quality, well designed and engineered products that are highly featured and uniquely styled. Masport's longevity has come about through a combination of both quality and innovation, with reliability that can be trusted.

for many more years to come.







500AL S18 2'N1

Alloy Chassis Cut • Catch • Mulch









- 460mm (18") heavy duty aluminium non-rust chassis
- Masport Quickcut® swingback blade system
- bearing wheels HDPE plastic catcher

200mm (8") adjustable dual

- · Handle Lift System for easy catcher access
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Zone Start for comfortable starting position
- Steel rear flap











550AL S18 2'N1

Alloy Chassis Cut • Catch • Mulch

- 150cc OHV Series 625EX ReadyStart[™] engine
- 460mm (18") heavy duty aluminium non-rust chassis
- Masport Quadcut® 4 blade disc cutting system
- Powered by Briggs & Stratton
 200mm (8") adjustable dual bearing wheels
 - HDPE plastic catcher Handle Lift System for easy catcher access
 - Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength Camlocks for quick release

YEAR
Aumour
Lament
Choice I Maris
Lament
Choice I Maris

- handle fold down · Zone Start for comfortable
- starting position





GENIUS AL S18 4'N1

Alloy Chassis Cut • Catch • Mulch • Side Discharge • Chip



- 460mm (18") heavy duty aluminium non-rust chassis
- Masport Quadcut® 5 blade disc cutting system (4 blade disc and chipper blade)
- Front 175mm (7") & rear 200mm (8") adjustable dual
- bearing wheels
- HDPE plastic catcher with full indicator Handle Lift System for easy
- catcher access Comfortable upturned upper
- handle with PVC grip Reinforced lower handle for
- added strength Ergo camlocks for adjustable
- handle position
- Zone Start for comfortable starting position Smartchute® for side
- discharge
- Chipperchute® chipping
- shrubs & branches Washport for easy cleaning

























575AL S18 2'N1

Alloy Chassis Cut • Catch • Mulch

- Powered by Briggs & Stratton 163cc OHV Series 675EXi ReadyStart[™] engine
- 460mm (18") heavy duty aluminium chassis
- Masport Quadcut® 4 Blade Disc Cutting System • 200mm (8") adjustable dual
- - bearing wheels HDPE Plastic Catcher Steel rear flap
 - Comfortable upturned upper handle with PVC grip Reinforced lower handle for
 - added strength Camlocks for quick release
- handle fold down
- catcher access · Zone start for comfortable starting position

• Handle lift system for easy

Steel rear flap







- 485mm (19") heavy duty
- aluminium non-rust chassis Masport Quadcut® 4 blade
- disc cutting system • 200mm (8") adjustable dual
- bearing wheels HDPE plastic catcher Handle Lift System for easy
- catcher access
- Comfortable upturned upper handle with PVC grip
- Reinforced lower handle for added strength
- · Camlocks for quick release handle fold down • Zone Start for comfortable
- starting position Dual Mowzone® for edge to
- edge cutting
- Steel rear flap





Alloy Chassis Cut • Catch

Powered by Briggs & Stratton

190cc Quantum LSE Series

650 IC ReadyStart™ engine

aluminium non-rust chassis

• 460mm (18") heavy duty

disc cutting system

Masport Quadcut® 4 blade





S18 LIMITED EDITION IC - MRZ







200mm (8") adjustable dual

bearing wheels

added strength

HDPE plastic catcher

handle with PVC grip

Comfortable upturned upper

Reinforced lower handle for












- Zone Start for comfortable starting position
- Steel rear flap
- 4 year conditional extended









- Powered by Briggs & Stratton 190cc OHV Series 850 Commercial IC ReadyStart™
- 485mm (19") heavy duty aluminium non-rust chassis Masport Quadcut® 4 blade
- disc cutting system 200mm (8") adjustable dual
- HDPE plastic catcher with full indicator
- · Handle Lift System for easy catcher access Comfortable upturned upper
- handle with PVC grip Reinforced lower handle for
- added strength Camlocks for quick release



• Zone Start for comfortable starting position Dual Mowzone® for edge to edge cutting

warranty

- Steel rear flap 2 vear commercial use engine
- 4 year conditional extended warranty












SILVER RANGE



800AL S21 3'N1

Alloy Chassis Widecut • Catch • Mulch • Rear Discharge

- Powered by Briggs & Stratton 190cc OHV Series 875 ReadyStart[™] engine
- 540mm (21") heavy duty aluminium non-rust chassis
- Masport Quadcut® 4 blade disc cutting system • 200mm (8") adjustable dual
- bearing wheels
- Double lined fabric catcher with cover
- Comfortable upturned upper handle with soft grip
- · Reinforced lower handle for added strength
- · Camlocks for quick release



- Zone Start for comfortable starting position
- Steel Rear Discharge chute • 1 year commercial use engine
- warranty • 4 year conditional extended



UTILITY ST S18

Steel Chassis Cut • Side Discharge



- 460mm (18") heavy duty steel
- Masport Quickcut® swingback blade system
- bearing wheels
- Flat upper handle
- Reinforced lower handle for added strength
- Knob locks



800AL S21 3'N1 SELF PROPELLED IC



Alloy Chassis Widecut • Catch • Mulch • Rear Discharge

with cover



- 540mm (21") heavy duty
- aluminium non-rust chassis Masport Quadcut® 4 blade
- disc cutting system Front 200mm (8") & rear 220mm (9") treaded adjustable
- dual bearing wheels • Double lined fabric catcher
- Comfortable upturned upper handle with soft grip
- Reinforced lower handle for added strength
- Camlocks for quick release handle fold down
- Zone Start for comfortable



- Steel Rear Discharge chute
- Variable speed Self Propelled (ground speed 2.76 - 5.32km/h)
- 2 year commercial use engine
- 4 year conditional extended warrantv



UTILITY ST S21 IC - 850

Steel Chassis Cut • Side Discharge

- Powered by Briggs & Stratton 190cc OHV Series 850 Commercial IC ReadyStart™
- 530mm (21") heavy duty steel chassis
- Masport Quadcut® 4 blade
- disc cutting system • 200mm (8") adjustable dual
- bearing wheels
- handle with PVC grip Reinforced lower handle for added strength

Comfortable upturned upper

- handle fold down 2 year commercial use engine warranty
- 4 year conditional extended warranty

· Camlocks for quick release







KEEP IT RUNNING

Lawnmowers are built to last. However, maintenance can be the difference in ensuring that your investment lasts a lot longer. Your dealer can advise you of an appropriate schedule to get the most out of your new purchase. Also, to ensure your mower performs as it should and that you are covered by your manufacturer's warranty, we recommend you buy your spare parts from an authorised dealer and only use genuine Masport parts.

A tip on ordering spare parts like new blades from your dealer outlet - you will need to supply:

- Model name and serial number
- Year of purchase

Other Masport accessories available from your local dealer include oil and fuel cans.



The perfect lawn is the source of pride and envy to many. It can set off your house and your garden to its best advantage and also provides the perfect area for children to play and adults to sit back and enjoy the scenery.

WATERING

Lawns should be watered in the morning rather than the evenings. For best results, thoroughly water your lawn regularly.

FERTILISING

Regularly and lightly fertilise your lawn during the growing season. This will achieve better results than infrequent heavy fertilising. Use a correctly balanced fertiliser.

MOWING

Be careful not to cut your lawn too short and 'scalp it'. Grasses need the leaf blade to make food for themselves. Also don't mow your lawn when it's too hot or too wet. Remove lawn clippings or use a mulching mower. Keep the blades sharp and clean the mower after use.

